

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	"20020122400"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:05
S3	4	"6463071"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:10
S4	3	"20020085531"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:14
S5	3	transport and (S1 or S3 or S4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:52
S6	2	priorit\$4 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:52
S7	2	logical and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 14:53
S8	112	logical with priorit\$4 with transport	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:11
S9	401	select\$4 with transport with format with combination\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:11
S10	1227	select\$4 and transport with format with combination\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:11

S11	65	S8 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:11
S12	59	S11 and map\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:12
S13	5921	schedul\$4 near3 mode\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:12
S14	12	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:13
S15	7802	(logical with priorit\$4) or (Priorit\$4 with schedul\$4 with (time or rate))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:15
S16	507	logical with transport with (priorit\$4 or map\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:15
S17	130	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:15
S18	73	S10 and S17	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:16
S19	656	select\$4 with ("tfc" (transport with format with combination\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:16
S20	65	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:17
S21	65	transport and priorit\$4 and logical and S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:17

S22	65	S21 and ("tfc" (transport with format with combination\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:31
S23	65	S21 and (transport with format with combination \$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:31
S24	2735	455/435.3 455/512 455/166.2 370/444.42 370/395.42 370/455	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:33
S25	2	S22 and S24	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:34
S26	55	S22 and ("455"/\$.ccls. "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:35
S27	5431	(schedul\$4 or priorit\$5) with (time with rate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:53
S28	6	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 15:54
S29	23	S26 and (time with rate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:02
S30	51	(time near2 rate) adj scheduling	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:23
S31	24	S30 and (transport with format with combination \$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:23
S32	27	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:24

S33	61	((time near2 rate) adj2 scheduling)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:28
S34	1020	(rate adj2 scheduling)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:28
S35	56	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:28
S37	24	S35 and (transport with format with combination \$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:30
S38	1	(Priority\$handling with data with transmissions).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:41
S39	0	S38 and S33 and S34	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 17:41
S40	17	S35 not S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 18:05
S41	32	S35 not S37	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/17 18:05
S42	2735	455/435.3 455/512 455/166.2 370/444.42 370/395.42 370/455	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 16:13
S43	4199	(qos (quality near2 service) priorit\$4 MLP) with logical\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 16:14
S44	361	S43 same schedul\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 16:14

S45	21	S42 and S44	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 16:14
S46	442303	matsushita.as.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:05
S47	189	(joachim with lohr).in. (eiko with seidel).in. (dragan with petrovic).in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:06
S48	961	map\$4 same logical same transport	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:07
S49	15	S48 and S46	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:07
S50	17	S48 and S47	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:07
S51	6	S50 and flag\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:08
S52	6	S49 and flag\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/20 16:08
S53	1	10/583736	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 19:16
S54	75	mlp\$2 with priorit\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 19:39
S55	2244	schedul\$4 adj2 mode\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 19:40

S56	6	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 19:40
S57	25	S54 same logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 19:48
S58	99	(mlp\$2 or priorit\$4) with (radio adj bearer\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 20:07
S59	7	S58 same mlp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 20:07
S60	5	S59 not S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 20:08
S61	2	10/014859	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 12:23
S62	7	("6510137" "6760327" "6845100" "6850540" "6891854").PN. OR ("7050415").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:24
S63	0	S62 and mlp	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:24
S64	4	S62 and schedul\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:24
S65	7	S62 and priorit\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:26
S66	0	EP20040252626	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:38
S67	2	"20040252626"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:38
S68	12	mapping with data with uplink with transmission with communication	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 12:40
S69	4	("2004/0228313").URPN.	USPAT	OR	OFF	2008/11/13 12:45
S70	1	S69 and bearer	USPAT	OR	OFF	2008/11/13 12:46

S71	0	S69 and bearer and priorit \$4	USPAT	OR	OFF	2008/11/13 12:47
S72	1	10/078584	USPAT	OR	OFF	2008/11/13 13:23
S73	1	10/583736 and (scheduling adj mode\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 13:45
S74	1	10/583736 and (flag)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:35
S75	5980	logical with flag\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:37
S76	719	transport and S75	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:37
S77	401	priorit\$3 and S76	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:37
S78	172	priorit\$3 same S75	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:37
S79	8410	logical same transport	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:37
S80	10	S78 and S79	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:37
S81	41	TFC same (flag\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:45
S82	5	S81 same transport	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:45

S83	86201	priorit\$4 with (flag\$1 "0" "1" index\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:52
S84	86	TFC same transport same priorit\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:52
S85	51	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:52
S86	1	10/583736 and (flag with indicat\$4 with priorit\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 15:57
S87	288	logical adj3 indicator	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:46
S88	6	S87 with priorit\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:46
S89	0	(logical mapping) adj3 indicat5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:47
S90	13218	(logical mapping) adj3 indicat\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:47
S91	9139	S90 same logical	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:47
S92	217	S91 same priorit\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:48
S93	14360	(logical mapping) adj3 (flag \$4 indicat\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:48

S94	375	logical same transport same priorit\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:48
S95	29	S93 and S94	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:48
S96	118	(S93 or S94) same (tfc (transport adj format))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:55
S97	10	S95 and S96	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 16:55

11/15/08 2:21:34 PM

C:\Documents and Settings\awin\My Documents\EAST\Workspaces\10583736.wsp